

**NEBRASKA DEPARTMENT OF ROADS  
MATERIALS AND RESEARCH DIVISION**



**STANDARD METHODS  
OF  
TESTS**

January 1, 2014

## **Standard Methods of Tests**

### **Safety Statement**

These standards may involve hazardous materials, operations, and equipment. They do not purport to address all safety problems associated with use. It is the responsibility of whomever uses this standard to consult and establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

**INDEX OF APPLICABLE  
LABORATORY TEST METHODS  
(For Information, by Title Only)**

- |                    |  |
|--------------------|--|
| <b>AASHTO T 11</b> | Material Finer than $\pm$ 200 Sieve in Aggregate by Washing  |
| <b>AASHTO T 19</b> | Bulk Density (Unit Weight) and Voids in Aggregate  |
| <b>AASHTO T 21</b> | Organic Impurities in Fine Aggregate for Concrete  |
| <b>AASHTO T 30</b> | Mechanical Analysis of Extracted Aggregate   |
| <b>AASHTO T 84</b> | Specific Gravity and Absorption of Fine Aggregate for Asphalt  |
| <b>AASHTO T 85</b> | Specific Gravity and Absorption of Coarse Aggregate  |
| <b>AASHTO T 87</b> | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test                                      |
| <b>AASHTO T 89</b> | Determining the Liquid Limit of Soils  |
| <b>AASHTO T 90</b> | Determining the Plastic Limit and Plasticity Index of Soils  |
| <b>AASHTO T 96</b> | Resistance of Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine |

- AASHTO T 99** Moisture-Density Relations of Soils Using a 5.5-lb Rammer and a 12-in Drop
- AASHTO T 104** Soundness of Aggregate by Use of Sodium Sulfate
- AASHTO T 166** Bulk Specific Gravity of Compacted Bituminous Mixtures Using Saturated Surface-Dry Specimens
- AASHTO T 176** Plastic Fines in Graded Aggregate and Soils by Use of the Sand Equivalent
- AASHTO T 248** Reducing Samples of Aggregate to Testing Size
- AASHTO T 255** Total Moisture Content of Aggregates by Drying
- AASHTO T 283** Resistance of Compacted Bituminous Mixture to Moisture-Induced Damage
- AASHTO T 288** Determining Minimum Laboratory Soil Resistivity
- AASHTO T 289** Determining pH of Soil for Use in Corrosion Testing
- ASTM C 25** Standard Test Methods for Chemical Analysis of Limestone, Quicklime, and Hydrated Lime
- ASTM C 174** Test Method for Measuring Length of Drilled Concrete Cores
- ASTM D 4791** Flat and Elongated Particles in Coarse Aggregate

<b>ASTM D 5821</b>	Determining the Percentage of Fractured Particles in Coarse Aggregate
<b><u>NDR C 25</u></b>	Gravimetric Determination of Calcium Oxide in Aggregate
<b><u>NDR C 25</u></b>	Gravimetric Determination of Calcium Oxide in Traffic Paint
<b><u>NDR C 114</u></b>	Alkali Content in Water
<b><u>NDR C 114</u></b>	Freelime Content
<b><u>NDR C 114</u></b>	Insoluble Residue
<b><u>NDR C 1602</u></b>	Standard Test Method for Mixing Water Used in the Production of Hydraulic Cement Concrete
<b><u>NDR D 512</u></b>	Standard Test Method for Chloride Ion in Water
<b><u>NDR D 522</u></b>	Flexibility of Traffic Paint
<b><u>NDR D 711</u></b>	No-Pick-Up Time of Traffic Paint
<b><u>NDR D 969</u></b>	Degree of Bleeding in Traffic Paint
<b><u>NDR D 1177</u></b>	Freezing Point of Deicers
<b><u>NDR D 1429</u></b>	Specific Gravity of Deicers
<b><u>NDR D 1475</u></b>	Density of Waterborne Traffic Paint

<a href="#"><u>NDR D 1640</u></a>	Drying Time, Dry-Through of Traffic Paint
<a href="#"><u>NDR D 2369</u></a>	Total Solids Analysis of Solvent-Based Traffic Paint
<a href="#"><u>NDR D 2369</u></a>	Total Solids of Waterborne Traffic Paint
<a href="#"><u>NDR D 2371</u></a>	Pigment and Vehicle Analysis of Solvent-Based Traffic Paint
<a href="#"><u>NDR D 2621</u></a>	Infrared Analysis of Vehicle of Solvent-Based Traffic Paint
<a href="#"><u>NDR D 2805</u></a>	Contrast Ratio Traffic Paint
<a href="#"><u>NDR D 2805</u></a>	Reflectance of Traffic Paint
<a href="#"><u>NDR D 3723</u></a>	Pigment Content of Waterborne Traffic Paint
<a href="#"><u>NDR D 4764</u></a>	Titanium Dioxide in Traffic Paint
<a href="#"><u>NDR D 4956</u></a>	Testing of Retroreflective Sheeting
<a href="#"><u>NDR E 70</u></a>	pH of Waterborne Traffic Paint
<a href="#"><u>NDR E 1349</u></a>	Color of Yellow Traffic Paint
<a href="#"><u>NDR E 1349</u></a>	Reflectance of Traffic Paint
<a href="#"><u>NDR M 247</u></a>	Type 1 Coarse Dual-Coated Bead Gradation
<a href="#"><u>NDR T 27</u></a>	Sieve Analysis of Fine and Coarse Aggregates
<a href="#"><u>NDR T 84</u></a>	Specific Gravity and Absorption of Fine

## Aggregate for PCC

- NDR T 103 Soundness of Aggregates by Freezing and Thawing
- NDR T 105 Determination of Chloride Content in Cement
- NDR T 260 Determination of Chloride Content in Cement Cores
- NDR T 290 Determination of Water-Soluble Sulfate Ion Content in Soil
- NDR T 290 Determination of Water-Soluble Chloride Ion Content in Mixing Water
- NDR T 291 Determination of Water-Soluble Ion Content in Soil
- NDR T 504 Determination of Clay Lumps, Shale, and Soft Particles in Coarse Aggregate and of Clay Lumps in Fine Aggregate and Sand Gravel Aggregate
- NDR T 520 Determination of the Percent of Imperfect Glass Beads

## **INDEX OF APPLICABLE FIELD TEST METHODS**

**NOTE:** For all NDR Laboratory, AASHTO, and ASTM Test Methods refer to the AASHTO Manuals or the individual NDR or ASTM Test Methods, which are maintained and filed for reference in all Branch or Central Laboratories.

**Only NDR Field Test Methods are included in this Manual.**

- |                     |  |
|---------------------|--|
| <b>AASHTO T 11</b>  | Material Finer than $\pm$ 200 sieve in Aggregate by Washing                    |
| <b>AASHTO T 40</b>  | Sampling Bituminous Materials – Attachment 1                                   |
| <b>AASHTO T 168</b> | Sampling Bituminous Paving Mixtures  |
| <b>AASHTO T 195</b> | Determining Degree of Particle Coating of Bituminous Mixtures                  |
| <b>AASHTO T 245</b> | Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus     |
| <b>AASHTO T 248</b> | Reducing Field Samples of Aggregate to Testing Size                            |
| <b>AASHTO T 255</b> | Total Moisture Content of Aggregate by Drying                                  |
| <b>AASHTO T 265</b> | Laboratory Determination of Moisture content of Soils                          |
| <b>AASHTO T 290</b> | Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures |

<b>AASHTO T 304</b>	Uncompacted Void Content of Fine Aggregate
<b>AASHTO T 308</b>	Determining the Asphalt Binder Content of Hot Mix Asphalt (HMA) by the Ignition Method
<b>ASTM C 31</b>	Making and Curing Concrete Test Specimens in the Field
<b>ASTM C 138</b>	Weight per Cubic Foot, Yield, and Air content of Concrete
<b>ASTM C 143/ C 143M</b>	Slump of Portland Cement Concrete
<b>ASTM C 172</b>	Sampling of Fresh Concrete
<b>ASTM C 187</b>	Test Method for Normal Consistency of Hydraulic Cement (False Set of Portland Cement)
<b>ASTM C 231</b>	Air content of Freshly Mixed Concrete by the Pressure Method
<b>ASTM D 5329</b>	Test Methods for Sealants and Fillers, Hot-Applied, For Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements
<b>ASTM D 5821</b>	Determining the percentage of Fractured Particles in Coarse Aggregate
<b><u>NDR C 1074</u></b>	Standard Practice for Estimating Concrete Strength by the Maturity Method

<a href="#"><u>NDR S 01</u></a>	Method of Sampling Portland and Interground/Blended Cements
<a href="#"><u>NDR T 2</u></a>	Sampling Aggregates
<a href="#"><u>NDR T 27</u></a>	Sieve Analysis of Fine and Coarse Aggregates
<a href="#"><u>NDR T 205</u></a>	Density of Soil In-Place by the Rubber Balloon Method
<a href="#"><u>NDR T 238</u></a>	In-Place Moisture Density of Soils by Nuclear Methods
<a href="#"><u>NDR T 504</u></a>	Determination of Clay Lumps, Shale, and Soft Particles in Coarse Aggregate and of Clay Lumps in Fine Aggregate and Sand Gravel Aggregate
<a href="#"><u>NDR T 505</u></a>	Moisture-Density Relations of Soils Using the One-Point Method
<a href="#"><u>NDR T 506</u></a>	Determination of the Free Moisture Content of Aggregate
<a href="#"><u>NDR T 587</u></a>	Density of Bituminous Concrete In-Place by Nuclear Methods